



Certificate of Analysis

Powered by Confident Cannabis
1 of 2

Hometown Hero
11190 Circle Dr
Austin, TX 78736
support@hometownhero.com

Sample: 1910ECO0288.0965

Strain: Hemp
Batch#: ; Batch Size: g
Sample Received: 10/21/2019; Report Created: 10/21/2019; Expires: 10/21/2020
Sampling: ; Environment:

Lightning

Plant, Flower - Cured, Outdoor
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



0.06%

Δ 9-THC

0.69%

CBD

18.04%

CBDa

Cannabinoids

Pass

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.01	0.56	5.6
Δ 9-THC	0.01	0.06	0.6
CBDa	0.01	18.04	180.4
CBD	0.01	0.69	6.9
CBN	0.01	ND	ND

Notes:

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD/nTotal Cannabinoids = Total THC + Total CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



4149 S Pacific Hwy
Medford, OR
541-YES-LEAF
http://www.yesleaflab.com
Lic# 010 1008170B3B6

Daniel Lohr
QA

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Ecotest Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Ecotest Analytical.



Certificate of Analysis

Powered by Confident Cannabis
2 of 2

Hometown Hero
11190 Circle Dr
Austin, TX 78736
support@hometownhero.com

Sample: 1910ECO0288.0965

Strain: Hemp
Batch#: ; Batch Size: g
Sample Received: 10/21/2019; Report Created: 10/21/2019; Expires: 10/21/2020

Sampling: ; Environment:

Lightning

Plant, Flower - Cured, Outdoor
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Sample Type: Subcontract Sample

Submission Type: Compliance

Pesticides by AOAC 2007.01 and EN 15662

Units: ppm

Analyzed:

Batch #: B8L2004

Contract Lab: PREE

Run ID: RunID_181226_045_23.d

Analyte	Result	LOQ	Action	Status	Flags	Analyte	Result	LOQ	Action	Status	Flags
Abamectin	< LOQ	0.40	0.5	Pass		Acephate	< LOQ	0.20	0.4	Pass	
Acequinocyl	< LOQ	0.40	2	Pass		Acetamiprid	< LOQ	0.10	0.2	Pass	
Aldicarb	< LOQ	0.20	0.4	Pass		Azoxystrobin	< LOQ	0.10	0.2	Pass	
Bifenazate	< LOQ	0.10	0.2	Pass		Bifenthrin	< LOQ	0.10	0.2	Pass	
Boscalid	< LOQ	0.10	0.2	Pass		Carbaryl	< LOQ	0.10	0.2	Pass	
Carbofuran	< LOQ	0.10	0.2	Pass		Chlorantraniliprole	< LOQ	0.10	0.2	Pass	
Chlorfenapyr	< LOQ	0.40	1	Pass		Chlorpyrifos	< LOQ	0.10	0.2	Pass	
Clofentezine	< LOQ	0.10	0.2	Pass		Cyfluthrin	< LOQ	0.78	1	Pass	
Cypermethrin	< LOQ	0.40	1	Pass		Daminozide	< LOQ	0.40	1	Pass	
DDVP (Dichlorvos)	< LOQ	0.40	1	Pass		Diazinon	< LOQ	0.10	0.2	Pass	
Dimethoate	< LOQ	0.10	0.2	Pass		Ethoprophos	< LOQ	0.10	0.4	Pass	
Etofenprox	< LOQ	0.10	0.2	Pass		Etoxazole	< LOQ	0.10	0.2	Pass	
Fenoxycarb	< LOQ	0.10	0.2	Pass		Fenpyroximate	< LOQ	0.10	0.4	Pass	
Fipronil	< LOQ	0.20	0.4	Pass		Flonicamid	< LOQ	0.40	1	Pass	
Fludioxonil	< LOQ	0.20	0.4	Pass		Hexythiazox	< LOQ	0.40	1	Pass	
Imazalil	< LOQ	0.10	0.2	Pass		Imidacloprid	< LOQ	0.20	0.4	Pass	
Kresoxim-methyl	< LOQ	0.20	0.4	Pass		Malathion	< LOQ	0.10	0.2	Pass	
Metaxyl	< LOQ	0.10	0.2	Pass		Methiocarb	< LOQ	0.10	0.2	Pass	
Methomyl	< LOQ	0.20	0.4	Pass		Methyl parathion	< LOQ	0.10	0.2	Pass	
MGK-264	< LOQ	0.10	0.2	Pass		Myclobutanil	< LOQ	0.10	0.2	Pass	
Naled	< LOQ	0.20	0.5	Pass		Oxamyl	< LOQ	0.40	1	Pass	
Paclobutrazol	< LOQ	0.20	0.4	Pass		Permethrins	< LOQ	0.10	0.2	Pass	
Phosmet	< LOQ	0.10	0.2	Pass		Piperonyl butoxide	< LOQ	0.40	2	Pass	
Prallethrin	< LOQ	0.10	0.2	Pass		Propiconazole	< LOQ	0.20	0.4	Pass	
Propoxur	< LOQ	0.10	0.2	Pass		Pyrethrins	< LOQ	0.78	1	Pass	
Pyridaben	< LOQ	0.10	0.2	Pass		Spinosad	< LOQ	0.10	0.2	Pass	
Spiromesifen	< LOQ	0.10	0.2	Pass		Spirotetramat	< LOQ	0.10	0.2	Pass	
Spiroxamine	< LOQ	0.10	0.4	Pass		Tebuconazole	< LOQ	0.10	0.4	Pass	
Thiacloprid	< LOQ	0.10	0.2	Pass		Thiamethoxam	< LOQ	0.10	0.2	Pass	
Trifloxystrobin	< LOQ	0.10	0.2	Pass							



4149 S Pacific Hwy
Medford, OR
541-YES-LEAF
http://www.yesleaflab.com
Lic# 010 1008170B3B6

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Ecotest Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Ecotest Analytical.