



Certificate of Analysis

Sample: DE10813005-001

Harvest/Lot ID: N/A

Metric #: 1A4000D0003A8B9000000684

Seed to Sale #: 1A4000D0003A8B9000000684

Batch Date: 08/10/21

Batch #: THC-O Acetate Potency

Sample Size Received: 10 gram

Total Weight/Volume: N/A

Retail Product Size: N/A gram

Ordered : 08/10/21

sampled : 08/10/21

Completed: 08/14/21 Expires: 08/14/22

Sampling Method: SOP-024

PASSED

Page 1 of 2

Aug 14, 2021 |

PRODUCT IMAGE



SAFETY RESULTS

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| Pesticides NOT TESTED | Heavy Metals NOT TESTED | Microbials NOT TESTED | Mycotoxins NOT TESTED | Residuals Solvents NOT TESTED | Filtration NOT TESTED | Water Activity NOT TESTED | Moisture NOT TESTED | Homogeneity NOT TESTED | Terpenes NOT TESTED |

CANNABINOID RESULTS



Cannabinoid Profile Test

| | | | |
|---------------------|-------------------|--|------------------------|
| Analyzed by 1253 | Weight 0.1778g | Extraction date : 08/13/21 05:08:00 | Extracted By : 1642 |
|---------------------|-------------------|--|------------------------|

Analysis Method -SOP-020 (R15)

Reviewed On - 08/14/21 13:42:17

Batch Date : 08/13/21 09:30:34

Analytical Batch -DE002272POT

Instrument Used : Agilent 1100 "Liger"

Running On : 08/13/21 19:22:34

Dilution

200

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP-022 (R13) for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman

Lab Director

State License #

405R-00011 405-00008

ISO Accreditation # 4331.01



Signature

08/14/21

Signed On



879 Federal Blvd
Denver, CO, 80204, USA

Kaycha Labs

T-0 Batch 11

N/A

Matrix : Concentrate



Certificate of Analysis

PASSED

Sample : DE10813005-001

Harvest/LOT ID: N/A

Batch# : THC-O Acetate
Potency

Sampled : 08/10/21

Ordered : 08/10/21

Sample Size Received : 10 gram

Total Weight/Volume : N/A

Completed : 08/14/21 Expires: 08/14/22

Sample Method : SOP-024

Page 2 of 2

COMMENTS

* Cannabinoid - DE10813005-001POT

1 - THC-O-Acetate = 57.33 wt %

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman

Lab Director

State License #

405R-00011 405-00008

ISO Accreditation # 4331.01

Signature

08/14/21

Signed On